

10/733,566

=> file caplus

FILE 'CAPLUS' ENTERED AT 15:04:18 ON 06 JAN 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.


FILE COVERS 1907 - 6 Jan 2005 VOL 142 ISS 2

FILE LAST UPDATED: 5 Jan 2005 (20050105/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d que

L1 STR



Structure attributes must be viewed using STN Express query preparation.

L3 18 SEA FILE=REGISTRY SSS FUL L1

L4 327 SEA FILE=CAPLUS L3

L5 4 SEA FILE=CAPLUS L4 AND DICHLOROETHANE

=> d l5 1-4 ibib abs hitstr

L5 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2004:716302 CAPLUS

DOCUMENT NUMBER: 141:248702

TITLE: Method for preparing 1,2-dichloroethane-free zonisamide crystals

INVENTOR(S): Ueno, Ryoichi; Kimura, Yasujiro

PATENT ASSIGNEE(S): Dainippon Pharmaceutical Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 8 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2004244410	A2	20040902	JP 2003-285878	20030804
PRIORITY APPLN. INFO.:			JP 2003-13587	A 20030122

AB The title method for the preparation of crystals of zonisamide containing ≤

10/733,566

5 ppm residual 1,2-dichloroethane (I) comprises adding aqueous C2 - C4 alc. (e.g., isopropanol + water) to zonisamide crystals which contain > 5 ppm residual I, removing I from this mixture by azeotropic distillation, collecting the zonisamide crystals from the residual mixture. Thus, zonisamide containing < 1 ppm I was obtained by the title method. Zonisamide is a known antiepileptic.


IT 68291-97-4P, Zonisamide

RL: PUR (Purification or recovery); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(method for preparing 1,2-dichloroethane-free zonisamide crystals with azeotropic distillation, followed by crystallization)

RN 68291-97-4 CAPLUS

CN 1,2-Benzisoxazole-3-methanesulfonamide (9CI) (CA INDEX NAME)



L5 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2004:569889 CAPLUS

DOCUMENT NUMBER: 141:106458

TITLE: Azeotropic distillation process for the preparation of 1,2-dichloroethane-free crystals of zonisamide

INVENTOR(S): Ueno, Yoshikazu; Kimura, Yasujiro

PATENT ASSIGNEE(S): Japan

SOURCE: U.S. Pat. Appl. Publ., 5 pp., Cont. of U.S. Ser. No. 462,595, abandoned.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2004138474	A1	20040715	US 2003-733566	20031212
WO 2004063174	A1	20040729	WO 2003-JP9530	20030728
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			

PRIORITY APPLN. INFO.: US 2003-340601 B1 20030113

US 2003-462595 B1 20030617

AB A process for the preparation of crystals of zonisamide containing residual 1,2-

dichloroethane of ≤5 ppm comprises adding an aqueous C2-4 alc.

(e.g., aqueous 2-propanol) to crystals of zonisamide containing residual 1,2-

dichloroethane of >5 ppm, removing the 1,2-dichloroethane

10/733,566


by azeotropic distillation, followed by collecting the precipitated crystals from the residual mixture

IT 68291-97-4P, Zonisamide

RL: PEP (Physical, engineering or chemical process); PUR (Purification or recovery); PYP (Physical process); PREP (Preparation); PROC (Process) (azeotropic distillation process for the preparation of 1,2-dichloroethane-free crystals of zonisamide)

RN 68291-97-4 CAPLUS

CN 1,2-Benzisoxazole-3-methanesulfonamide (9CI) (CA INDEX NAME)



L5 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2004:569888 CAPLUS

DOCUMENT NUMBER: 141:106457

TITLE: Azeotropic distillation process for the preparation of 1,2-dichloroethane-free crystals of zonisamide

INVENTOR(S): Ueno, Yoshikazu; Kimura, Yasujiro

PATENT ASSIGNEE(S): Japan

SOURCE: U.S. Pat. Appl. Publ., 5 pp., Cont.-in-part of U.S. Ser. No. 462,726, abandoned.
CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2004138473	A1	20040715	US 2003-733565	20031212
WO 2004063174	A1	20040729	WO 2003-JP9530	20030728
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRIORITY APPLN. INFO.:			US 2003-340601	B3 20030113
			US 2003-462726	B1 20030617

AB A process for the preparation of crystals of zonisamide containing residual 1,2-dichloroethane of ≤ 5 ppm comprises adding an aqueous C2-4 alc. (e.g., aqueous 2-propanol) to crystals of zonisamide containing residual 1,2-dichloroethane of > 5 ppm, removing the 1,2-dichloroethane by azeotropic distillation, followed by collecting the precipitated crystals from the residual mixture


10/733,566

IT 68291-97-4P, Zonisamide

RL: PEP (Physical, engineering or chemical process); PUR (Purification or recovery); PYP (Physical process); PREP (Preparation); PROC (Process)
(azeotropic distillation process for the preparation of 1,2-dichloroethane-free crystals of zonisamide)

RN 68291-97-4 CAPLUS

CN 1,2-Benzisoxazole-3-methanesulfonamide (9CI) (CA INDEX NAME)



L5 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1991:55206 CAPLUS

DOCUMENT NUMBER: 114:55206

TITLE: Determination of zonisamide (3-sulfamoylmethyl-1,2-benzisoxazole) in plasma at therapeutic concentrations by high-performance liquid chromatography

AUTHOR(S): Berry, D. J.

CORPORATE SOURCE: Poisons Unit, London, SE14 5ER, UK

SOURCE: Journal of Chromatography (1990), 534, 173-81

CODEN: JOCRAM; ISSN: 0021-9673

DOCUMENT TYPE: Journal

LANGUAGE: English

AB A selective and sensitive HPLC method for the determination of the antiepileptic


drug zonisamide in small (0.1 mL) human blood plasma samples is described. After adding the internal standard 3-sulfamoylmethyl-6-fluoro-1,2-benzisoxazole, a direct **dichloroethane** extract of the sample is analyzed on a reversed-phase column with UV spectrophotometric detection. The method is rapid, simple, and capable of determining plasma levels after therapeutic ingestion of zonisamide. Some results from a dose-ranging clin. trial are presented.

IT 68291-97-4, 1,2-Benzisoxazole-3-methanesulfonamide

RL: ANT (Analyte); ANST (Analytical study)
(determination of, in blood plasma of human, by HPLC)

RN 68291-97-4 CAPLUS

CN 1,2-Benzisoxazole-3-methanesulfonamide (9CI) (CA INDEX NAME)



=>